




INTAKE & RIDGE VENTILATION

IMPROVE YOUR EAVE INTAKE



IPS SmartVent™ is the most versatile intake vent solution in the industry. Constructed of durable polyethylene, SmartVent™ is nail gunnable and will not become brittle in extreme heat or cold. This patented polyethylene design gives SmartVent™ flexibility, providing a universal air intake or exhaust solution for any regularly or irregularly constructed roof deck.

EASIER INSTALL

SmartVent™ is light weight, nail gunnable, easy to cut with a knife and keeps the roofer on the roof.

LIFETIME WARRANTY

SmartVent™ carries a warranty for the lifetime of the roof on which it is installed.*

UNMATCHED VERSATILITY

SmartVent™ offers a continuous venting area that can be used all the way up the roof from eave to ridge.


BETTER SOLUTION

SmartVent™ is unnoticeable from the ground, provides cross-channel airflow to the exhaust vents and is an alternative for soffits that could be blocked.

ICC-ES APPROVED

ESR-2484


SMARTVENT™ OFF PEAK



Visit [IPSROOFINGPRODUCTS.COM](https://www.ipsroofingproducts.com) for full warranty statements

SMARTVENT™ ATTIC INTAKE OR EXHAUST


SMARTVENT™



- Use on eaves, mid-roof, off-wall, shed-wall, off-peak, dormer and valley
- Intake or exhaust for all climates
- 9 square inches of NFA per linear foot (18 when used on both sides)
- Tapered for a natural look
- Fabric mesh guards against rain and snow infiltration

PRODUCT	DESCRIPTION	MODEL	UPC	UNITS/CASE	FT/CASE	FT/UNIT	LBS/CASE
80750	SmartVent™	SV1	10012181807504	18	54	3	24

SMARTVENT™ END CAPS




- Provides a perfectly tapered end to SmartVent™
- Eliminates the need to fabricate end caps on the job
- Fabric mesh guards against rain and snow infiltration
- Seamless fit to SmartVent™ for continuous airflow in all directions


PRODUCT	DESCRIPTION	MODEL	UPC	UNITS/CASE	LENGTH/UNIT	LBS/CASE
80751	SmartVent™ End Caps	SVEC	10012181807511	12	10.5	12

THE ALL-PURPOSE INTAKE & EXHAUST SOLUTION


MID-ROOF & OFF WALL



SHED ROOF



DORMER PEAK



VALLEYVENT™ VALLEY, RAFTER & DECK VENTILATION

The IPS ValleyVent™ installs between the rafters and roof deck and allows airflow around valleys, skylights, hip roofs, and other difficult areas to ventilate. The ValleyVent™ increases the efficiency of the roof's ventilation, allowing for continuous airflow throughout the roof system. This prevents build-up in "hot spots" where airflow commonly faces obstructions that can lead to inadequate airflow, ice dams, and mold growth.

VALLEYVENT™



- Provides airflow in difficult-to-ventilate and obstructed areas
- Polyethylene construction is easy to handle and install
- Helps prevent ice dams, "hot spots" and mold growth
- Increases the efficiency of the ventilation system

PRODUCT	DESCRIPTION	MODEL	UPC	UNITS/CASE	FT/CASE	FT/UNIT	LBS/CASE
80756	ValleyVent™	VV1	10012181807566	84	168	2	17




SMARTRIDGE™ HIP & RIDGE VENTILATION


SmartRidge™ I

One Sided Ridge Ventilation

IPS SmartRidge™ I is the most efficient ridge exhaust system. By exhausting air on one side, the SmartRidge™ I siphons 100% attic exhaust without pulling in exterior air, rain, snow or ice from the opposite side of the vent. The SmartRidge™ I produces a natural look with no street side lift making it the most effective and cleanest looking ridge vent system.




SMARTVENT™ & SMARTRIDGE™ I



SMARTVENT™ & SMARTRIDGE™ II

SmartRidge™ II Exhaust Ventilation



SmartRidge™ II


Two Sided Hip & Ridge Ventilation

IPS SmartRidge™ II is a versatile vent that can be used for hip and ridge ventilation. Equipped with protective weather fabric, the SmartRidge™ II prevents rain, sleet and snow from penetrating the attic and damaging the roof structure. SmartRidge™ II cuts with a utility knife and can be hand or nail gunned for easy install.



SMARTRIDGE™ HIP & RIDGE VENTILATION

SMARTRIDGE™ I



- 100% attic exhaust
- No street side lift for improved appearance
- Fabric mesh guards against rain and snow infiltration
- 18 square inches of NFA
- Achieves a balanced ventilation system with SmartVent™
- Easy to cut and install


PRODUCT	DESCRIPTION	MODEL	UPC	UNITS/CASE	FT/CASE	FT/UNIT	LBS/CASE
80752	SmartRidge™ I	SR1	10012181807528	22	66	3	25

SMARTRIDGE™ II



- Fabric mesh guards against rain and snow infiltration
- 18 square inches of NFA
- Achieves a balanced ventilation system with SmartVent™
- Easy to cut and install

PRODUCT	DESCRIPTION	MODEL	UPC	UNITS/CASE	FT/CASE	FT/UNIT	LBS/CASE
80753	7" SmartRidge™ II	SR27	10012181807535	12	36	3	20
80754	8.5" SmartRidge™ II	SR285	10012181807542	12	36	3	20
80755	10.5" SmartRidge™ II	SR2105	10012181807559	12	36	3	20





IPSRooFINGPRoDUCTS.COM

IPS Roofing Products

500 Distribution Parkway
Collierville, Tennessee 38017
USA

tncustserv@ipscorp.com

Tel (800) 888-8312

Fax (901) 853-5008